

How does Antibiotic Resistance Effect Me?

Madhuri Dutta, PhD

George Institute for Global Health India
New Delhi and Hyderabad



✓ Human from ape- evolution 6 million years

✓ Bugs to superbugs- evolution 60 years

Discovery of penicillin- 1928

Identification of first superbug- 1994

Two points

- Bacteria naturally acquire resistance to drugs over time
- Broad spectrum Antibiotics- action?

Classroom as a unit

- What happens when one of us has a bacterial infection like typhoid?
- Bacterial infections and sewage spills
- Sewage spills and spread of Antibiotic Resistant strains in the environment

Environment pollution and Antibiotic Resistant strains





Monday, July 30, 2018 12:03:55 AM



NATION

WORLD

STATES

CITIES

BUSINESS

SPORT

ENTERTAINMENT

GALLERIES

VIDEOS

Home > The Sunday Standard

New drug-resistant gene found in water polluted with pharma waste

Hyderabad is now home to a new resistance gene, named as 'blaRSA2', that can render useless even Carbapenems, the type of antibiotics which are used as last-resort medicines to treat patients



Published: 11th March 2018 10:00 AM | Last Updated: 11th March 2018 10:00 AM

Print | A+ A-



The George Institute
for Global Health

The Patancheru- Musi river Story-

[Environ Int.](#) 2018 Mar;112:279-286. doi: 10.1016/j.envint.2017.12.036. Epub 2018 Jan 6.

Functional metagenomics reveals a novel carbapenem-hydrolyzing mobile beta-lactamase from Indian river sediments contaminated with antibiotic production waste.

[Marathe NP](#), [Janzon A](#), [Kotsakis SD](#), [Flach CF](#), [Razavi M](#), [Berglund F](#), [Kristiansson E](#), [Larsson DGJ](#).

The Ganges Story-

[Appl Environ Microbiol.](#) 2003 Apr;69(4):2389-94.

Molecular characterization of *Vibrio cholerae* O139 bengal isolated from water and the aquatic plant *Eichhornia crassipes* in the River Ganga, Varanasi, India.


[Bhanumathi R](#), [Sabeena F](#), [Isac SR](#), [Shukla BN](#), [Singh DV](#).

Use of Antibiotics in animals and Antibiotic Resistant strains



[Sci Rep.](#) 2017 Mar 8;7:43797. doi: 10.1038/srep43797.

Novel methicillin resistance gene *mecD* in clinical *Macrococcus caseolyticus* strains from bovine and canine sources. [Schwendener S¹](#), [Cotting K¹](#), [Perreten V¹](#).




Hospitals and Antibiotic Resistance

Hospital acquired infections-
nosocomial infections


- Urinary tract infections
- Respiratory infections
- Surgical site infections
- Bloodstream infections

Maternal sepsis



Mycobacterium tuberculosis

- Infects lungs and then other organs
- First line of drugs- Antibiotics- low cost- free in government clinics
- MDR tb
- Second line of drugs- expensive- not available in government clinics
- SYMPTOMS-
 - ✓ A bad cough that lasts 3 weeks or longer
 - ✓ Pain in the chest
 - ✓ Coughing up blood or sputum (mucus from deep inside the lungs)



How do I manage Antibiotic Resistance by myself and in others around me?

- Follow the Antibiotic course (strictly)
- Ask family members/friends to adhere to Antibiotic course
- Say NO to purchasing Antibiotics without a prescription
- Follow hygienic practices like handwashing, flushing toilet at all times
- Reach out to a responsible adult when there is a sewage leakage in the neighbourhood
- Make sure that food derived from animal products are cooked properly at home

Designing Awareness Posters

- For schools, as part of science projects, as YouTube videos?

ACTIVITY

COUGH FOR OVER 2 WEEKS COULD BE TB MEET A DOCTOR NOW

Other Symptoms of Tuberculosis (TB):

- Fever
- Night Sweat
- Loss of Appetite
- Weight-loss

Visit your nearest government health facility for high quality free diagnosis and treatment

Irregular or incomplete treatment may lead to Drug Resistant TB

- TB germs spread through the air
cover your mouth while coughing



TB HAREGA, DESH JEETEGA

Central TB Division ■ Directorate General Health Services ■ Ministry of Health and Family Welfare ■ Government of India



